

STRAWBERRY

Fertilizing scheme Strawberry

All amounts are in ml per 10 litre water	Growth period to Flowering approx 4 weeks	Mid Flowering (2-3 weeks)	End Flowering (1-2 weeks)	Last week/ Flush
--	---	---------------------------	---------------------------	------------------

Long Flower Supermix scheme

Longflower Supermix	8	10	14	15	17	15	14	14	13	<13
PK 13-14	-	1	2	2	3	4	4	5	<5	-
Roots	once 100 ml	-	-	-	once 100 ml	-	-	-	-	-
X-ceL	5	5	8	8	10	10	10	10	10	10
The Missing Link	5	5	5	5	5	5	5	5	5	5
BN Zym	3	3	3	3	3	3	3	3	3	3
Novafoliar	Spray on leaves when needed									

Useful tips for the use of Strawberry fertilizing scheme

- First add water to the feed vessel, then add Longflower Supermix and stir well.
- In areas of soft water it is recommended to add Ca15 to the Longflower Supermix.
- Add PK 13-14 and mix well.
- Leave the mix for one hour and then adjust the pH value to pH 5.8.
- The dosage of the main fertilizer can be adjusted by $\pm 10\%$.
- Do not use fertilizer in the last week before harvest.
- For long flowering plants and when using Longflower Supermix, the schedule should be extended from mid flowering.
- Use Roots when planting and repeat after 30 days. In periods of high stress in the plants we recommend using Roots every week.
- We recommend to add Freeflow to all mixes to increase the permeability of liquids due to its natural wetting ability.
- < indicates the dosage may be adjusted at your discretion.



Tel. +31 (0)416 65 00 82 | info@bionova.nl | www.bionova.nl

This schedule is an example of feed chart, to help growers to start with Bio Nova products. Other factors such as cultivar, temperature, humidity, substrate, sunlight, watering system and so on are needed to determine the optimum individual fertilization strategy.